Epi Week: 2 2024



Nigeria Centre for Disease Control and Prevention

Protecting the health of Nigerians

www.ncdc.gov.ng

PLOT 801 EBITU UKIWE STREET, JABI ABUJA, NIGERIA. **TOLL-FREE CALL**: 6232. **Email**: info@ncdc.gov.ng

@NCDCgov

Lassa Fever Situation Report

Epi Week 2: 8th – 14th January 2024

Key Points

Table 1: Summary of the current week (2), cumulative Epi week 2, 2024 and comparison with the previous year (2023)

Reporting Period	Suspected cases	Confirmed cases	Probable cases	Deaths (Confirmed cases)	Case Fatality Ratio (CFR)	States and LGAs affected (Confirmed cases)
Current week (week 2)	296	81	0	0 15 18		State(s):10 LGA(s): 30
2024 Cumulative (week 2)	486	134	0	21	15.7%	State(s):13 LGA(s): 42
2023 Cumulative (week 2)	207	88	0	20	22.7%	State(s):10 LGA(s): 30

Highlights

- In week 2, the number of new confirmed cases increased from 53 in epi week 1, 2024 to 81 in epi week 2, 2024 cases. These were reported in Ondo, Edo, Bauchi, Taraba, Ebonyi, Anambra, Benue, Gombe, Kaduna, and Kogi States (Table 3)
- Cumulatively from week 2, 2024, 21 deaths have been reported with a case fatality rate (CFR) of 15.7% which is lower than the CFR for the same period in 2023 (22.7%)
- In total for 2024, 13 States have recorded at least one confirmed case across 42 Local Government Areas (Figures 2 and 3)
- Seventy-nine (79%) of all confirmed Lassa fever cases were reported from these three states (Ondo, Edo, and Bauchi) while 21% were reported from 10 states with confirmed Lassa fever cases. Of the 79% confirmed cases, Ondo reported 31%, Edo 27%, and Bauchi 21%
- The predominant age group affected is 21-30 years (Range: 2 to 98 years, Median Age: 32 years). The male-to-female ratio for confirmed cases is 1:1 (Figure 4)
- The number of suspected cases increased compared to that reported for the same period in 2023.
- Two new Healthcare workers were affected in the reporting week 2.
- National Lassa fever multi-partner, multi-sectoral Emergency Operations Centre (EOC) activated to coordinate the response activities at all levels.



Figure 1. Confirmed Lassa fever cases in Nigeria epidemiological week 48, 2023 to week 2, 2024



Figure 2. Confirmed Lassa fever cases by States in Nigeria, week 2, 2024

Lassa Fever Situation Report



Figure 3. Confirmed Lassa fever rate per 100,000 population for LGAs in Nigeria, week 2, 2024

Symptomatic contacts	Number for current week	Trend from previous week	Cumulative number for 2024
Probable cases	0	$\leftarrow \rightarrow$	0
Health Care Worker affected	2	$\leftarrow \rightarrow$	4
Cases managed at the treatment centres	66	Ŷ	113
Contact tracing			
Cumulative contact listed	298	Ť	428
Contacts under follow up	341	Ŷ	341
Contacts completed follow up	87	Ť	87
Symptomatic contacts	6	Ŷ	6
Positive contacts	0	$\leftarrow \rightarrow$	0
Contacts lost to follow up	0	$\leftarrow \rightarrow$	0

Table 2. Kay	indicators for comparts	waals 2022 and transla		anaviaua waale Nimaria
Table 2. Rey	indicators for current v	week 2025 and trend C	ompared to the	previous week, Nigeria

Key



Lassa Fever Situation Report

Epi Week: 2 2024

Table 3. Weekly and Cumulative number of suspected and confirmed cases for 2024

			Cur	rent w	eek: (Week 2	.)	Cumulative (Week 1 - 2)			
			Ca	ses		Deaths		Cases		Deaths
	States	Suspected	Confirmed	Trend	Probable HCW	* (Confirmed Cases)	Suspected	Confirmed	Probable HCW*	* (Confirmed Cases
1	Ondo	88	27			2	135	40		3
2	Edo	96	22			2	164	35		2
3	Bauchi	57	17		1	6	90	28	2	7
4	Taraba	9	8			1	15	14		2
5	Benue	18	1	▼			37	7		1
6	Ebonyi	8	2			1	12	3		2
7	Kaduna	1	1			1	1	1		1
8	Anambra	2	1		1	1	2	1	1	1
9	Plateau			▼			2	1		
10	Gombe	1	1				2	1		
11	Kogi	1	1			1	3	1		1
12	Imo	6		▼			7	1	1	1
13	Enugu			▼			3	1		
14	Bayelsa	1					1			
15	Rivers	1					1			
16	Delta	6					6			
17	Yobe	1					1			
18	Adamawa						1			
19	Nasarawa						2			
20	Fct						1			
	Total	296	81		0 2	15	486	134	0 4	21
					-					
		Key								
	Decre									

Increase











5|Page

Response activities

- · Press briefing on "Preventing Lassa fever together"
- · Off-site support to states including medical counter measures
- · Confirmed cases are treated at identified treatment centres across the states
- · Dissemination of reviewed case management and safe burial practices guidelines
- Diagnosis of all samples in Lassa fever testing laboratories across the country
- Reports on the preparedness survey in the 36 States and FCT to assess preparedness, readiness, and response to Lassa fever disseminated
- Dissemination of media content including press releases, tweets, public advisories, etc.
- Held the 1st Lassa Fever webinar for 2024 focused on "Empowering Communities to Combat Lassa Fever"
- Held a meeting with CEPI to strengthen the implementation of research activities both during the outbreak and at *peace* time.
- Off-site support on IPC and safe burial to affected states
- Monitoring of outbreak emergency composite indicators to guide action
- Activation of multi-sectoral incident management system for Lassa fever coordinated from the Public Health Emergency Operation Centres (PHEOC) at the National and some affected States

Challenges

- Late presentation of cases leading to an increase in CFR
- Poor health-seeking behaviour due to the high cost of treatment and clinical management of Lassa fever
- · Poor environmental sanitation conditions observed in high-burden communities
- Poor awareness observed in high-burden communities

Notes on this report

Data Source

Information for this disease was case-based data retrieved from the National Lassa fever Emergency Operations Centre.

Case definitions

- **Suspected case**: any individual presenting with one or more of the following: malaise, fever, headache, sore throat, cough, nausea, vomiting, diarrhoea, myalgia, chest pain, hearing loss and either a. History of contact with excreta or urine of rodents b. History of contact with a probable or confirmed Lassa fever case within a period of 21 days of onset of symptoms OR Any person with inexplicable bleeding/hemorrhagia.
- **Confirmed case**: any suspected case with laboratory confirmation (positive IgM antibody, PCR or virus isolation)
- **Probable case**: any suspected case (see definition above) who died or absconded without collection of specimen for laboratory testing
- **Contact:** Anyone who has been exposed to an infected person, or to an infected person's secretions, excretions, or tissues within three weeks of last contact with a confirmed or probable case of Lassa fever

Calculations

• Case Fatality Rate (CFR) for this disease is reported for confirmed cases only

Lassa Fever Situation Report

VIRAL HAEMORRAGHIC FEVER QUICK REFERENCE GUIDE

For social mobilisation https://ncdc.gov.ng/themes/common/docs/vhfs/83 1517222929.pdf For LGA Rapid Response Team https://ncdc.gov.ng/themes/common/docs/vhfs/82_1517222811.pdf Healthcare worker laboratory https://ncdc.gov.ng/themes/common/docs/vhfs/81_1517222763.pdf For healthcare workers https://ncdc.gov.ng/themes/common/docs/vhfs/80_1517222586.pdf For community informants https://ncdc.gov.ng/themes/common/docs/vhfs/79_1517222512.pdf

NATIONAL GUIDELINES FOR LASSA FEVER CASE MANAGEMENT

https://ncdc.gov.ng/themes/common/docs/protocols/92 1547068532.pdf

VIRAL HAEMORRHAGIC FEVER AND RESPONSE PLAN

https://ncdc.gov.ng/themes/common/docs/protocols/24 1502192155.pdf

NATIONAL GUIDELINE FOR INFECTION, PREVENTION AND CONTROL FOR VIRAL HAEMORRAGHIC **FEVER**

🗱 🗿 🕼 🗱 🐐 🚛 😳 🚛 👔 Constitutional de Con

ALMAICRC

7 | Page

https://ncdc.gov.ng/themes/common/docs/protocols/24_1502192155.pdf **INFORMATION RESOURCE**

Nigeria Centre for Disease Control and Prevention: www.ncdc.gov.ng