

### **Nigeria Centre for Disease Control and Prevention**

Protecting the health of Nigerians

Epi Week: 42 2024

www.ncdc.gov.ng

PLOT 801 EBITU UKIWE STREET, JABI ABUJA, NIGERIA. **TOLL-FREE CALL**: 6232. **Email**: info@ncdc.gov.ng

@NCDCgov

# **Lassa Fever Situation Report**

Epi Week 42: 14<sup>th</sup> – 20<sup>th</sup> October 2024

# **Key Points**

Table 1: Summary of the current week (42), cumulative Epi week 42, 2024 and comparison with the previous year (2023)

Reporting Period	Suspected cases	Confirmed cases	Probable cases	Deaths (Confirmed cases)	Case Fatality Ratio (CFR)	States and LGAs affected (Confirmed cases)
Current week (week 42)	112	12	0	0	0.0%	State(s):3 LGA(s): 9
2024 Cumulative (week 42)	8681	1047	17	174	16.6%	State(s):28 LGA(s): 131
2023 Cumulative (week 42)	7842	1104	9	188	17.0%	State(s): 28 LGA(s): 113

# **Highlights**

- In week 42, the number of new confirmed cases increased from 10 in epi week 41, 2024 to 12. These were reported in Ondo, Edo, and Plateau States (Table 3)
- Cumulatively from week 1 to 42, 2024, 174 deaths have been reported with a case fatality rate (CFR) of 16.6% which is lower than the CFR for the same period in 2023 (17.0%)
- In total for 2024, 28 States have recorded at least one confirmed case across 131 Local Government Areas (Figures 2 and 3)
- Sixty-seven (67%) of all confirmed Lassa fever cases were reported from these three states (Ondo, Edo, and Bauchi) while 33% were reported from 25 states with confirmed Lassa fever cases. Of the 67% confirmed cases, Ondo reported 28%, Edo 23%, and Bauchi 16%
- The predominant age group affected is 31-40 years (Range: 1 to 98 years, Median Age: 32 years). The male-to-female ratio for confirmed cases is 1:1 (Figure 4)
- The number of suspected cases increased compared to that reported for the same period in 2023.
- No new Healthcare worker was affected in the reporting week 42.
- National Lassa fever multi-partner, multi-sectoral Technical Working Group (TWG)
  continues coordinating the response activities at all levels.






Figure 1. Confirmed Lassa Fever Cases in Nigeria Epidemiological Week 42, 2024




Figure 2. Confirmed Lassa fever cases by States in Nigeria, Week 42, 2024




Figure 3. Confirmed Lassa fever attack rate per 100,000 population for LGAs in Nigeria, Week 42, 2024

Table 2: Key indicators for the current week in 2024 and trend compared to the previous week, Nigeria

Symptomatic contacts	Number for current week	Trend from previous week	Cumulative number for 2024		
Probable cases	0	←→	17		
Health Care Worker affected	0	←→	35		
Cases managed at the treatment centres	12	<b>↑</b>	883		
Contact tracing	•				
Cumulative contact listed	30	<b>↑</b>	3697		
Contacts under follow up	121	←→	121		
Contacts completed follow up	0	←→	3529		
Symptomatic contacts	0	←→	67		
Positive contacts	0	←→	31		
Contacts lost to follow up	0	←→	15		

Increase
Decrease
No difference

Table 3. Weekly and Cumulative number of suspected and confirmed cases for 2024

	Current week: (Week 42)						)	Cumulative (Week 1 - 42)				
	States	Cases					Deaths	Cases				Deaths
	States	Suspected	Confirmed	Trend	Probable	HCW*	(Confirmed Cases)	Suspected	Confirmed	Probable	HCW*	(Confirmed Cases)
1	Ondo	38	6	<b>A</b>				2131	296		4	20
2	Edo	62	5	<b>A</b>				2647	246		2	28
3	Bauchi	3						888	171		3	31
4	Taraba	3		▼				261	101		3	21
5	Benue			▼				1072	64	9	8	11
6	Ebonyi							345	46		7	26
7	Kogi	1						140	34	1	1	4
8	Kaduna							124	15	2	3	8
9	Plateau	1	1	<b>A</b>				107	14			1
10	Enugu							104	9			2
11	Cross River							61	7			1
12	Rivers							74	6			3
13	Delta	2						94	5			2
14	Nasarawa	1						65	5		1	1
15	Anambra							41	4		1	3
16	Gombe	1						37	4	5		2
17	Niger							13	3			2
18	Imo							41	3		1	2
19	Jigawa							25	2			1
20	Bayelsa							25	2			1
21	Adamawa							17	2			
22	Fct							69	2			
23	Katsina							24	1			1
24	Kano							57	1			
25	Оуо							38	1			1
26	Lagos							42	1			
27	Ogun							34	1		1	1
28	Yobe							19	1			1
29	Sokoto							7				
30	Kebbi							7				
31	Zamfara							3				
32	Akwa Ibom							7				
33	Ekiti							15				
34	Kwara							10				
35	Borno							12				
36	Osun							8				
	Abia							17				
	Total	112	12	<b>A</b>				8681	1047	17	35	174

Key						
	Decrease					
\	Increase					




Figure 4. Age and sex pyramid showing the number of confirmed Lassa fever cases for 2024




Figure 5: Number of confirmed cases with case fatality rate (CFR) by state week 42, 2024




Figure 6: Trend of confirmed cases by epidemiological week, 2019-2024, Nigeria

# Response activities

- Developed a plan to host the 2024/2025 Lassa fever readiness webinar series
- Successful dialogue with States to review channels of communication for timely support
- Engaging with MSF Swiss on mutual areas of collaboration
- Shared updates on the 'Enable LF program-1.5' with funding from CEPI
- Sent out alerts notification through the Nigeria Preparedness and Readiness Alert System (NPRAS)
- Harmonization of the risk communication and community engagement (RCCE) data collection tools for different diseases

- Monthly meetings with all State Health Promotion Officers
- Conducted a mini-stakeholder review meeting on the finalization of the Lassa Fever five-year strategy
- Participated in the One Health stakeholders' collaboration meeting convened by the Federal Ministry of Environment, supported by Breakthrough Action Nigeria
- Developed and disseminated SMS on LF with the support of Breakthrough Action Nigeria (BA-N) in Benue State
- Collaboration with all stakeholders to source funding for key preparedness activities
- Finalization of the preparedness tracker by the HEPR Department to alert, monitor and evaluate key preparedness activities
- Tracking planned activities from the After Action Review
- Lassa fever laboratory network meeting held to bolster ongoing efforts in identifying and closing gaps
- Participated in the on-site implementation of optimizing the LISTEN approach for Lassa fever control in Ondo State supported by Georgetown University
- Took part in the Joint Review of National Red Cross Society 2024 Lassa fever DREF Operation
- Participated in the testing phase of the Human-Centered Design (HCD) from Farm to Market supported by BA-N
- Conducted the 2024 National Lassa Fever After Action Review (AAR) Workshop
- Conducted rodent control and risk communication activities in Ebonyi State
- Co-facilitated the co-design workshop on Lassa fever with the intended audience in Bauchi and Ondo States
- Ongoing Implementation of the DREF project
- Lassa fever Taskforce Secretariat held a meeting with CEPI
- Coordinating with pillar leads on the successful implementation of key recommendations of the dynamic risk assessment
- Deactivated the Incident Management System after conducting a dynamic risk assessment; Technical Working Group to coordinate activities on alert mode, with enhanced surveillance
- Launched a short course on Lassa fever in collaboration with Resolve to Save Lives (RSTL) and NPHCDA
- Review of the LF case management screening tool developed by MSF, with Q1 data shared for analysis
- Collaborated with Nigerian Red Cross Society (NRCS) to train volunteers on RCCE Key messages for LF
- Assessment completed for UDUTH Sokoto and BCVL Ibandan testing labs
- Optimization of UBTH Benin and FMC Makurdi
- Carried out an online survey on LF with support from ICAP
- Review of the impact of the Fellows of the Pilot Lassa fever Clinical Management Fellowship on the ongoing outbreak
- Environmental Health/One Health intervention in Ebonyi State Planning meeting
- Held an entry engagement meeting with the Nigerian Red Cross and IFRC on the implementation of the Disaster Response Emergency Fund (DREF) project
- Participated in the Batch A Lassa fever virtual orientation for volunteers on the Nigerian Red Cross Society (NRCS) Disaster Response Emergency Fund (DREF) implementation.
- Supported field deployments for Environmental and Rodent Control Intervention for Lassa fever in collaboration with the Federal Ministry of Environment
- Engaged with the Red Cross for support of Lassa fever response at the community level
- Continuous media scanning and analysis for Infodemic management
- Conducted an Early Action Review (EAR) using the 7-1-7 timeliness metrics
- Developed a concept note for Joint Case Management & IPC training with support from WHO and GU.
- Monthly engagement meeting with State Epidemiologists
- Dissemination of the LF radio drama on social media
- Training of Trainers workshop of One Health partners on rodent control and Lassa fever prevention led by the Federal Ministry of Environment in collaboration with BA-N

 Fumigation and decontamination exercise in households of confirmed cases in Ebonyi state with support from MSF

- Conducted LF KAP survey across states where RRT are deployed
- Provided offsite support to all teams deployed in collaboration with the Response Division of HEPR
- Participated in the HIV SPiCE weekly special session on Lasa fever in collaboration with US CDC
- Engaged with WHO on the APHEF proposal and approach
- Forecasting and quantifying for public health events
- IPC Sensitization targeted at Faith-Based and Private healthcare facilities in Ebonyi State
- Development of a comprehensive plan for the assessment of IPC implementation in the 14 General hospitals in Ebonyi State with support from MSF
- Deployed National Rapid Response Teams to eight (8) states
- Sensitization on IPC for frontline Healthcare workers to increase index of suspicion for LF in 3 hotspot LGAs in Bauchi State
- Monitoring and evaluation of IAP activities while continuing implementation of the approved IAP activities in collaboration with all pillars and partners
- Participated in a Radio-call-in programme on Lassa fever
- Held a meeting with the state lab focal persons in collaboration with the lab pillar
- Distribution of oral Ribavirin to hot-spot states
- Provided technical support for IPC Training conducted in University of Port Harcourt Teaching Hospital for the IPC Committee
- IPC Guideline development workshop held in Bauchi State supported by World Bank/CoPREP
- Shared report on retrospective social listening of Lassa fever conversations from December 2023 to February 2024
- Engagement with all State Health Promotion Officers on activities being conducted for LF and other diseases
- Meeting with Partners on areas of collaboration and support for Lassa fever
- Participated in a consultative meeting to improve rodent control interventions in response to the Lassa fever outbreaks - led by the Federal Ministry of Environment
- Held a meeting of the Task Team on Effective Vaccine for Lassa fever in Nigeria
- Coordinating the implementation of IPC Programmes at Designated treatment Centres and health facilities through continuous preparedness, readiness, and response activities.
- Identifying and updating the IPC Focal person database for health facilities in all the states.
- Engaging with IPC structures in the States, the Orange network, designated treatment Centres and Health
  Facilities at all levels on adherence to standard precautions by Health Care Workers to curb Hospital
  Acquired Infections (HAIs), especially in high burden LGAs and States
- Ongoing sensitisation on LF across affected states
- Media appearance for updates on the Lassa fever outbreak response
- Held technical meeting with subnational teams for the month of February for synchronization of LF surveillance and response
- Harmonization of recommendations and challenges from State reports for action
- Participated in the activation of the IMS of the LF PHEOC for FCT
- Concluded the Lassa fever readiness webinar series
- Provided support to all States sending daily and weekly situation reports
- Press briefing on "Preventing Lassa fever together"
- Off-site support to states including medical countermeasures
- Confirmed cases are treated at identified treatment centres across the states
- Dissemination of reviewed case management and safe burial practices guidelines
- Diagnosis of all samples in Lassa fever testing laboratories across the country
- Reports on the preparedness survey in the 36 States and FCT to assess preparedness, readiness, and response to Lassa fever disseminated
- Dissemination of media content including press releases, tweets, public advisories, etc.
- Held the 1st Lassa Fever webinar for 2024 focused on "Empowering Communities to Combat Lassa Fever"
- Held a meeting with CEPI to strengthen the implementation of research activities both during the outbreak and at *peace* time.
- Off-site support on IPC and safe burial to affected states
- Monitoring of outbreak emergency composite indicators to guide action
- Activation of multi-sectoral incident management system for Lassa fever coordinated from the Public Health Emergency Operation Centres (PHEOC) at the National and some affected States
- Participated in the Inaugural Meeting of Community Advisory Board for the Research on Lassa fever phase 2 vaccine trial

# **Lassa Fever Situation Report** Challenges

- Inadequate funding for preparedness activities
- Late presentation of cases leading to an increase in CFR
- Poor health-seeking behaviour due to the high cost of treatment and clinical management of Lassa
- Poor environmental sanitation conditions observed in high-burden communities
- Poor awareness observed in high-burden communities

# Notes on this report

#### **Data Source**

Information for this disease was case-based data retrieved from the National Lassa Fever Technical Working

### Case definitions

- Suspected case: any individual presenting with one or more of the following: malaise, fever, headache, sore throat, cough, nausea, vomiting, diarrhoea, myalgia, chest pain, hearing loss and either a. History of contact with excreta or urine of rodents b. History of contact with a probable or confirmed Lassa fever case within a period of 21 days of onset of symptoms OR Any person with inexplicable bleeding/haemorrhage.
- Confirmed case: any suspected case with laboratory confirmation (positive IgM antibody, PCR or virus isolation)
- Probable case: any suspected case (see definition above) who died or absconded without collection of specimen for laboratory testing
- Contact: Anyone who has been exposed to an infected person, or to an infected person's secretions, excretions, or tissues within three weeks of last contact with a confirmed or probable case of Lassa fever

### Calculations

Case Fatality Rate (CFR) for this disease is reported for confirmed cases only.

### VIRAL HAEMORRHAGIC FEVER QUICK REFERENCE GUIDE

For social mobilization https://ncdc.gov.ng/themes/common/docs/vhfs/83 1517222929.pdf For LGA Rapid Response Team https://ncdc.gov.ng/themes/common/docs/vhfs/82 1517222811.pdf Healthcare worker laboratory https://ncdc.gov.ng/themes/common/docs/vhfs/81 1517222763.pdf For healthcare workers https://ncdc.gov.ng/themes/common/docs/vhfs/80 1517222586.pdf For community informants https://ncdc.gov.ng/themes/common/docs/vhfs/79 1517222512.pdf

### NATIONAL GUIDELINES FOR LASSA FEVER CASE MANAGEMENT

https://ncdc.gov.ng/themes/common/docs/protocols/92 1547068532.pdf

### VIRAL HAEMORRHAGIC FEVER AND RESPONSE PLAN

https://ncdc.gov.ng/themes/common/docs/protocols/24 1502192155.pdf

### NATIONAL GUIDELINE FOR INFECTION, PREVENTION AND CONTROL FOR VIRAL HAEMORRHAGIC FEVER INFORMATION RESOURCE

Nigeria Centre for Disease Control and Prevention: www.ncdc.gov.ng

Disclaimer - The information contained in this document is confidential, privileged and only for the intended recipient and may not be used, published, or redistributed to the public. A redacted version is available at http://ncdc.gov.ng/diseases/sitreps



















