



**Nigeria Centre for Disease Control and Prevention**

*Protecting the health of Nigerians*

[www.ncdc.gov.ng](http://www.ncdc.gov.ng)

PLOT 801 EBITU UKIWE STREET, JABI ABUJA, NIGERIA.  
TOLL-FREE CALL: 6232. Email: [info@ncdc.gov.ng](mailto:info@ncdc.gov.ng)

@NCDC.gov

# Lassa Fever Situation Report

Epi Week 35: 25<sup>th</sup> – 31<sup>st</sup> August 2025

## Key Points

**Table 1: Summary of the current week (35), cumulative Epi week 35, 2025 and comparison with the previous year (2024)**

Reporting Period	Suspected cases	Confirmed cases	Probable cases	Deaths (Confirmed cases)	Case Fatality Rate (CFR)	States and LGAs affected (Confirmed cases)
<b>Current week</b> (week 35)	125	10	0	2	20.0%	State(s):5 LGA(s): 8
<b>2025 Cumulative</b> (week 35)	7375	871	7	162	18.6%	State(s):21 LGA(s): 106
<b>2024 Cumulative</b> (week 35)	7973	982	17	168	17.1%	State(s):28 LGA(s): 127

## Highlights

- In week 35, the number of new confirmed cases increased from 3 in epi week 34 of 2025 to 10. These were reported in Edo, Ondo, Bauchi and Taraba States (Table 3).
- Cumulatively as at week 35, 2025, 162 deaths have been reported with a Case Fatality Rate (CFR) of 18.6% which is higher than the CFR for the same period in 2024 (17.1%).
- In total for 2025, 21 States have recorded at least one confirmed case across 106 Local Government Areas (Figures 2 and 3).
- Ninety-one (91%) of all confirmed Lassa fever cases were reported from five states (Ondo, Bauchi, Edo, Taraba, and Ebonyi) while 9% were reported from 16 states with confirmed Lassa fever cases. Of the 91% confirmed cases, Ondo reported 33%, Bauchi 23%, Edo 18%, Taraba 14%, and Ebonyi 3%.
- The predominant age group affected is 21-30 years (Range: 1 to 96 years, Median Age: 30 years). The male-to-female ratio for confirmed cases is 1:0.8 (Figure 4).
- The number of suspected and confirmed cases decreased compared to that reported for the same period in 2024.
- No new healthcare worker was affected in the reporting week 35.
- The National Lassa fever multi-partner, multi-sectoral Technical Working Group (TWG) continues supporting coordination of response activities at all levels.




Figure 1. Confirmed Lassa Fever Cases in Nigeria Epidemiological Week 35, 2025




Figure 2. Confirmed Lassa fever cases by States in Nigeria, week 35, 2025




Figure 3. Confirmed Lassa fever attack rate per 100,000 population for LGAs in Nigeria, week 35, 2025

Table 2: Key indicators for the current week in 2025 and trend compared to the previous week, Nigeria

Symptomatic contacts	Number for current week	Trend from previous week	Cumulative number for 2025
Probable cases	0	↔	7
Health Care Worker affected	0	↔	23
Cases managed at the treatment centres	8	↑	794
<b>Contact tracing</b>			
Cumulative contact listed	5	↑	3459
Contacts under follow up	15	↑	15
Contacts completed follow up	0	↓	3428
Symptomatic contacts	0	↔	15
Positive contacts	0	↔	15
Contacts lost to follow up	0	↔	16

**Key**

↑ Increase  
↓ Decrease  
↔ No difference

Table 3. Weekly and Cumulative number of suspected and confirmed cases for 2025

	States	Current week: (Week 35 )					Cumulative (Week 1 - 35 )				
		Cases				Deaths (Confirmed Cases)	Cases				Deaths (Confirmed Cases)
		Suspected	Confirmed	Trend	Probable HCW*		Suspected	Confirmed	Probable	HCW*	
1	Ondo	29	2				2297	286		8	37
2	Bauchi	13	2	▲			923	197	1	4	16
3	Edo	72	4	▲		1	2478	153		3	26
4	Taraba	2	1	▲		1	320	119		3	37
5	Ebonyi						265	23		1	13
6	Benue			▼			243	18	4	1	5
7	Kogi	2					77	15			4
8	Gombe	1					96	14	1	2	7
9	Plateau						61	13	1		5
10	Kaduna						62	8			3
11	Nasarawa	2					135	6			4
12	Enugu						30	4			1
13	Delta						33	3			2
14	Kano						68	3			
15	Cross River						35	2			1
16	Anambra	1	1	▲			21	2			
17	Jigawa						10	1			
18	Borno						8	1			
19	Ogun	1					18	1			1
20	Fct	1					17	1		1	
21	Lagos						18	1			
22	Sokoto						2				
23	Zamfara						1				
24	Osun						2				
25	Katsina						4				
26	Kwara						10				
27	Kebbi						1				
28	Yobe						5				
29	Akwa Ibom						2				
30	Niger						2				
31	Ekiti						33				
32	Rivers						18				
33	Adamawa						9				
34	Abia						15				
35	Imo						6				
36	Bayelsa						4				
37	Oyo	1					46				
	Total	125	10	▲		2	7375	871	7	23	162

## Key



Decrease



Increase




Figure 4. Age and sex pyramid showing the number of confirmed Lassa fever cases for 2025




Figure 5: Number of confirmed cases with Case Fatality Rate (CFR) by state week 35, 2025




Figure 6: Trend of confirmed cases by epidemiological week, 2021– 2025, Nigeria



## Response activities

- Scheduled the 3rd and 4th dry run for the LF international conference abstract presenters with the support of AFENET and US CDC for 3rd and 5th September 2025
- Participated in the closing Ceremony of the 2nd Cohort of the Lassa Fever Clinical Management Fellowship (in-person training) with the support of Georgetown University and its affiliates, ISTH, FMC Owo, AEFUTHA, FMOH&SW and US CDC
- Convened the 1st dry run for the LF international conference abstract presenters with the support of AFENET and US CDC
- Held an in-person training in ISTH for 19 exceptional Lassa fever Clinical Management Fellowship (LFCMF) fellows with the support of Georgetown University and its affiliates, ISTH, FMC Owo, AEFUTHA, FMOH&SW, MSF and US CDC
- Concluded the virtual classes for the 2nd cohort of the Lassa Fever Clinical Management Fellowship with the support of Georgetown University and its affiliates, ISTH, FMC Owo, AEFUTHA, FMOH&SW and US CDC
- Held the 5th edition of the monthly webinar series on Lassa Fever Clinical Management with the support of Georgetown University and ISTH (Edo State)
- Lagos State distributed thermometers to all contacts for temperature monitoring
- INTEGRATE clinical trial begins in Ondo State with the support of FMCO, ALIMA, BNITM, ISTH, and ANRS-MIE
- Edo State conducted an After Action Review (AAR)
- AAR workshop held in Ondo state with support from Pro-Health International and IHVN through US CDC funding
- Ebonyi state successfully conducted the AAR of the 2024/2025 outbreak season with the support of Pro-Health International through US CDC funding
- Distribution of thermometers to all contacts for temperature monitoring in Lagos State
- De-escalation of the National Incident Management System to alert mode
- Clinician sensitization conducted in 6 Lassa Fever hotspot LGAs in Ondo State with support from WHO
- Integrated Lassa Fever key messages into other VHF's risk communication strategies
- Launched the NCDC's IPC e-learning platform; powered by DRASA and funded by the Global Fund
- Participated in the World Hand Hygiene Day celebrated across all Orange Network facilities
- Printed and disseminated copies of IPC Viral Hemorrhagic Fever (VHF) guidelines to health facilities with support from Robert Koch Institute
- Supported State IPC structures, the Orange Network, and treatment centers to enforce standard precautions to reduce Hospital-Acquired Infections (HAIs) in high-burden LGAs and States
- Shared resources materials to reporting and non-reporting States and the FCT e.g. Public and Healthcare worker's advisories etc.
- Deployed 10 National Rapid Response Teams to 10 states to support onsite control and management efforts using a One Health approach
- Participated in the official handing over of laboratory equipment by IHVN to the Ondo State Public Health laboratory
- HCWs trained on case management in Bauchi, Ebonyi & Benue states with the support of WHO
- Participated in the Regional Training on Lassa Fever Clinical Management in ECOWAS Countries in Togo
- Disseminated the reviewed IPC guidelines, health facility IPC advisory and healthcare worker advisories
- Conducted the IPC Guideline development workshop in Bauchi State supported by WB through CoPREP
- Distributed response commodities -PPEs, Ribavirin (injection and tablets) body-bags, thermometers, hypochlorite hand sanitizers, and IEC materials distributed to states and treatment centres
- Conducted the 3rd round of quarterly participants follow-up and blood sampling exercise at FMCO, ISTH and AEFUTHA sites ((ENABLE 1.5) supported by CEPI
- Supported the protocol development for Community-Based One Health Participatory and Empowerment Strategy (COPE II)
- Sensitized healthcare workers and other community structures across hotspot LGAs
- Developed a targeted communication strategy based on the data from the community survey conducted in 3 states
- Leveraged on partners and stakeholders media platforms to disseminate Lassa Fever messages
- Supported ongoing active case search in Ondo State's health facilities and communities, in collaboration with IHVN
- Held a Multi-Sectoral Health Promotion, Communication, and Disease Prevention Capacity Building workshop on Risk Communication and Community Engagement in Cross River State supported by Nigeria Health Watch
- Facilitated Lassa fever sensitization at Glo 99.1 FM, Ondo state
- Held a Training of Trainers (ToT) workshop of One Health partners on rodent control and Lassa fever prevention collaboration with BA-N

- Implemented Lassa fever Environmental response campaign in high-burden states through the Federal Ministry of Environment

## Challenges

- Late presentation of cases leading to an increase in CFR
- Poor health-seeking behaviour due to the high cost of treatment and clinical management of Lassa fever
- Poor environmental sanitation conditions observed in high-burden communities
- Poor awareness observed in high-burden communities

## Recommendations

- **States-** Bolster efforts all-year-round for community engagements on prevention of Lassa fever
- **Healthcare Workers-** Maintain high suspicion for Lassa fever and initiate timely referral and treatment
- **NCDC/Partners-** Strengthen state capacity to prevent, detect and respond timely to Lassa fever

## Notes on this report

### Data Source

Information for this disease was case-based data retrieved from the National Lassa Fever Technical Working Group.

### Case definitions

- **Suspected case:** any individual presenting with one or more of the following: malaise, fever, headache, sore throat, cough, nausea, vomiting, diarrhoea, myalgia, chest pain, hearing loss and either a. History of contact with excreta or urine of rodents b. History of contact with a probable or confirmed Lassa fever case within a period of 21 days of onset of symptoms OR Any person with inexplicable bleeding/haemorrhage.
- **Confirmed case:** any suspected case with laboratory confirmation (positive IgM antibody, PCR or virus isolation)
- **Probable case:** any suspected case (see definition above) who died or absconded without collection of specimen for laboratory testing
- **Contact:** Anyone who has been exposed to an infected person, or to an infected person's secretions, excretions, or tissues within three weeks of last contact with a confirmed or probable case of Lassa fever

### Calculations

- Case Fatality Rate (CFR) for this disease is reported for confirmed cases only.

### VIRAL HAEMORRHAGIC FEVER QUICK REFERENCE GUIDE

For social mobilization [https://ncdc.gov.ng/themes/common/docs/vhfs/83\\_1517222929.pdf](https://ncdc.gov.ng/themes/common/docs/vhfs/83_1517222929.pdf)

For LGA Rapid Response Team [https://ncdc.gov.ng/themes/common/docs/vhfs/82\\_1517222811.pdf](https://ncdc.gov.ng/themes/common/docs/vhfs/82_1517222811.pdf)

Healthcare worker laboratory [https://ncdc.gov.ng/themes/common/docs/vhfs/81\\_1517222763.pdf](https://ncdc.gov.ng/themes/common/docs/vhfs/81_1517222763.pdf)

For healthcare workers [https://ncdc.gov.ng/themes/common/docs/vhfs/80\\_1517222586.pdf](https://ncdc.gov.ng/themes/common/docs/vhfs/80_1517222586.pdf)

For community informants [https://ncdc.gov.ng/themes/common/docs/vhfs/79\\_1517222512.pdf](https://ncdc.gov.ng/themes/common/docs/vhfs/79_1517222512.pdf)

### NATIONAL GUIDELINES FOR LASSA FEVER CASE MANAGEMENT

[https://ncdc.gov.ng/themes/common/docs/protocols/92\\_1547068532.pdf](https://ncdc.gov.ng/themes/common/docs/protocols/92_1547068532.pdf)

### VIRAL HAEMORRHAGIC FEVER AND RESPONSE PLAN

[https://ncdc.gov.ng/themes/common/docs/protocols/24\\_1502192155.pdf](https://ncdc.gov.ng/themes/common/docs/protocols/24_1502192155.pdf)

### NATIONAL GUIDELINE FOR INFECTION, PREVENTION AND CONTROL FOR VIRAL HAEMORRHAGIC FEVER INFORMATION RESOURCE

[https://ncdc.gov.ng/themes/common/docs/protocols/341\\_1707300274.pdf](https://ncdc.gov.ng/themes/common/docs/protocols/341_1707300274.pdf)

Nigeria Centre for Disease Control and Prevention: [www.ncdc.gov.ng](http://www.ncdc.gov.ng)

*Disclaimer – This situation report is based on the best available information reported. The NCDC is not responsible for information shared with third parties or any interpretation outside what is published. The report may not be used, published, or redistributed to the public. All redacted Lassa fever situation reports are available at <http://ncdc.gov.ng/diseases/sitreps>*

