

# **Nigeria Centre for Disease Control and Prevention**

Protecting the health of Nigerians

Epi Week: 49 2024

www.ncdc.gov.ng

PLOT 801 EBITU UKIWE STREET, JABI ABUJA, NIGERIA. **TOLL-FREE CALL**: 6232. **Email**: info@ncdc.gov.ng

@NCDCgov

# **Lassa Fever Situation Report**

Epi Week 49: 2<sup>nd</sup> – 8<sup>th</sup> December 2024

# **Key Points**

Table 1: Summary of the current week (49), cumulative Epi week 49, 2024 and comparison with the previous year (2023)

Reporting Period	Suspected cases	Confirmed cases	Probable cases	Deaths (Confirmed cases)	Case Fatality Ratio (CFR)	States and LGAs affected (Confirmed cases)
Current week (week 49)	157	39	0	6	15.4%	State(s):6 LGA(s): 15
2024 Cumulative (week 49)	9492	1154	20	190	16.5%	State(s):28 LGA(s): 137
2023 Cumulative (week 49)	8707	1191	9	206	17.3%	State(s): 28 LGA(s): 116

# **Highlights**

- In week 49, the number of new confirmed cases increased from 26 in epi week 48, 2024 to 39. These were reported in Bauchi, Ondo, Edo, Enugu, Adamawa and Taraba States (Table 3)
- Cumulatively from week 1 to 49, 2024, 190 deaths have been reported with a case fatality rate (CFR) of 16.5% which is lower than the CFR for the same period in 2023 (17.3%)
- In total for 2024, 28 States have recorded at least one confirmed case across 137 Local Government Areas (Figures 2 and 3)
- Seventy-one (71%) of all confirmed Lassa fever cases were reported from these three states (Ondo, Edo, and Bauchi) while 29% were reported from 25 states with confirmed Lassa fever cases. Of the 71% confirmed cases, Ondo reported 30%, Edo 23%, and Bauchi 18%
- The predominant age group affected is 21-30 years (Range: 1 to 98 years, Median Age: 32 years). The male-to-female ratio for confirmed cases is 1:1 (Figure 4)
- The number of suspected cases increased compared to that reported for the same period in 2023.
- No new Healthcare worker was affected in the reporting week 49.
- National Lassa fever multi-partner, multi-sectoral Technical Working Group (TWG) continues coordinating the response activities at all levels.




Figure 1. Confirmed Lassa Fever Cases in Nigeria Epidemiological Week 49, 2024




Figure 2. Confirmed Lassa Fever Cases by States in Nigeria, Week 49, 2024




Figure 3. Confirmed Lassa Fever Attack Rate per 100,000 Population for LGAs in Nigeria, Week 49, 2024

Table 2: Key Indicators for the Current Week in 2024 and Trend Compared to the Previous Week, Nigeria

Symptomatic contacts	Number for current week	Trend from previous week	Cumulative number for 2024	
Probable cases	0	<b>↓</b>	20	
Health Care Worker affected	0	←→	35	
Cases managed at the treatment centres	33	<b>↑</b>	1056	
Contact tracing				
Cumulative contact listed	30	<b>↑</b>	3806	
Contacts under follow up	18	<b>\</b>	18	
Contacts completed follow up	3	<b>↓</b>	3741	
Symptomatic contacts	0	←→	67	
Positive contacts	0	←→	31	
Contacts lost to follow up	0	←→	15	



Table 3. Weekly and Cumulative Number of Suspected and Confirmed Cases for 2024

		Curi	ent we	ek: (Week 49	)	Cumulative (Week 1 - 49)				
States		Cases			Deaths		Cases			Deaths
	Suspected	Confirmed	Trend	Probable HCW*	(Confirmed Cases)	Suspected	Confirmed	Probable	HCW*	(Confirmed Cases)
1 Ondo	47	15	<b>A</b>			2399	343		4	24
2 Edo	46	5	<b>A</b>			2953	262		2	28
3 Bauchi	41	16	<b>A</b>		6	995	206	3	3	42
4 Taraba	2	1	<b>A</b>			272	102		3	21
5 Benue						1072	64	9	8	11
6 Ebonyi	3		▼			361	47		7	26
7 Kogi	2					153	35	1	1	4
8 Kaduna						127	15	2	3	8
9 Plateau	1					111	14			1
10 Enugu	1	1	<b>A</b>			118	12			2
11 Cross River						63	8			2
12 Rivers						75	6			3
13 Delta						97	5			2
14 Nasarawa	1					69	5		1	1
15 Gombe	2		▼			61	5	5		2
16 Anambra						46	4		1	3
17 Niger						13	3			2
18 Adamawa	2	1	<b>A</b>			20	3			
19 Imo						41	3		1	2
20 <b>Jigawa</b>						26	2			1
21 Bayelsa						25	2			1
22 Fct						73	2			
23 Katsina						24	1			1
24 Kano						58	1			
25 <b>Oyo</b>	1					40	1			1
26 Lagos	2					46	1			
27 Ogun						37	1		1	1
28 Yobe	2					24	1			1
29 Sokoto	3					10				
30 <b>Kebbi</b>						8				
31 Zamfara						3				
32 Akwa Ibom						7				
33 Ekiti	1					16				
34 Kwara						10				
35 Borno						12				
36 Osun						8				
37 Abia						19				
Total	157	39	<b>A</b>		6	9492	1154	20	35	190

	Key
$\blacksquare$	Decrease
	Increase






Figure 4. Age and Sex Pyramid Showing the Number of Confirmed Lassa Fever Cases for 2024




Figure 5: Number of Confirmed Cases with Case Fatality Rate (CFR) by State Week 49, 2024




Figure 6: Trend of Confirmed Cases by Epidemiological Week, 2019-2024, Nigeria

### **Table 5: Response Activities**

- Conducted the Lassa Fever IPC webinar series with focus on building IPC programs and ensuring healthcare worker safety confirmation
- Conducted the Lassa fever case management webinar series with focus on high index of suspicion for Lassa Fever and treatment center readiness
- Conducted the Lassa fever surveillance webinar series with focus on Lassa fever surveillance, case detection and data management
- Conducted the Lassa fever RCCE webinar series on the role of sociocultural context in effective community involvement confirmation

- Analysed the readiness assessment across the 36 states and the FCT
- Participated in a learning visit to the Medical Research Council Unit The Gambia (MRCG) at the London School of Hygiene & Tropical Medicine (LSHTM)Held the 1<sup>st</sup> Webinar in the series in collaboration with the RCCE pillar/partners
- Developed a robust Health Promotion/Disease Prevention (HP/DP) strategy
- Rehosted the Lassa fever clinical IDSR course in partnership with RTSL, NPHCDA and AFENET
- Distributed the implementation plan for the Lassa fever webinar series to all pillars
- Provided feedback to all States sending daily and weekly situation
- Assessing all 36 states and the FCT on the level of readiness to guide the webinar series and future partnerships
- Developed a plan to host the 2024/2025 Lassa fever readiness webinar series
- Successful dialogue with States to review channels of communication for timely support
- Engaging with MSF Swiss on mutual areas of collaboration
- Shared updates on the 'Enable LF program-1.5' with funding from CEPI
- Sent out alerts notification through the Nigeria Preparedness and Readiness Alert System (NPRAS)
- Harmonization of the risk communication and community engagement (RCCE) data collection tools for different diseases
- Monthly meetings with all State Health Promotion Officers
- Conducted a mini-stakeholder review meeting on the finalization of the Lassa Fever five-year strategy
- Participated in the One Health stakeholders' collaboration meeting convened by the Federal Ministry of Environment, supported by Breakthrough Action Nigeria
- Developed and disseminated SMS on LF with the support of Breakthrough Action Nigeria (BA-N) in Benue State
- Collaboration with all stakeholders to source funding for key preparedness activities
- Finalization of the preparedness tracker by the HEPR Department to alert, monitor and evaluate key preparedness activities
- Lassa fever laboratory network meeting held to bolster ongoing efforts in identifying and closing gaps
- Participated in the on-site implementation of optimizing the LISTEN approach for Lassa fever control in Ondo State supported by Georgetown University
- Took part in the Joint Review of National Red Cross Society 2024 Lassa fever DREF Operation
- Participated in the testing phase of the Human-Centered Design (HCD) from Farm to Market supported by BA-N
- Conducted the 2024 National Lassa Fever After Action Review (AAR) Workshop
- Co-facilitated the co-design workshop on Lassa fever with the intended audience in Bauchi and Ondo States
- Lassa fever Taskforce Secretariat held a meeting with CEPI
- Coordinating with pillar leads on the successful implementation of key recommendations of the dynamic risk assessment
- Deactivated the Incident Management System after conducting a dynamic risk assessment; Technical Working Group to coordinate activities on alert mode, with enhanced surveillance
- Launched a short course on Lassa fever in collaboration with Resolve to Save Lives (RSTL) and NPHCDA
- Review of the LF case management screening tool developed by MSF, with Q1 data shared for analysis
- Collaborated with Nigerian Red Cross Society (NRCS) to train volunteers on RCCE Key messages for LF
- Assessment completed for UDUTH Sokoto and BCVL Ibandan testing labs
- Optimization of UBTH Benin and FMC Makurdi
- Review of the impact of the Fellows of the Pilot Lassa fever Clinical Management Fellowship on the ongoing outbreak
- Environmental Health/One Health intervention in Ebonyi State Planning meeting

 Held an entry engagement meeting with the Nigerian Red Cross and IFRC on the implementation of the Disaster Response Emergency Fund (DREF) project

- Supported field deployments for Environmental and Rodent Control Intervention for Lassa fever in collaboration with the Federal Ministry of Environment
- Engaged with the Red Cross for support of Lassa fever response at the community level
- Continuous media scanning and analysis for Infodemic management
- Conducted an Early Action Review (EAR) using the 7-1-7 timeliness metrics
- Developed a concept note for Joint Case Management & IPC training with support from WHO and GU.
- Monthly engagement meeting with State Epidemiologists
- · Dissemination of the LF radio drama on social media
- Training of Trainers workshop of One Health partners on rodent control and Lassa fever prevention led by the Federal Ministry of Environment in collaboration with BA-N
- Fumigation and decontamination exercise in households of confirmed cases in Ebonyi state with support from MSF
- Conducted LF KAP survey across states where RRT are deployed
- Provided offsite support to all teams deployed in collaboration with the Response Division of HEPR
- Participated in the HIV SPiCE weekly special session on Lasa fever in collaboration with US CDC
- Deployed National Rapid Response Teams to eight (8) states
- Sensitization on IPC for frontline Healthcare workers to increase index of suspicion for LF in 3 hotspot LGAs in Bauchi State
- Monitoring and evaluation of IAP activities while continuing implementation of the approved IAP activities in collaboration with all pillars and partners
- Held a meeting with the state lab focal persons in collaboration with the lab pillar
- Distribution of oral Ribavirin to hot-spot states
- IPC Guideline development workshop held in Bauchi State supported by World Bank/CoPREP
- Shared report on retrospective social listening of Lassa fever conversations from December 2023 to February 2024
- Engagement with all State Health Promotion Officers on activities being conducted for LF and other diseases
- Meeting with Partners on areas of collaboration and support for Lassa fever
- Participated in a consultative meeting to improve rodent control interventions in response to the Lassa fever outbreaks - led by the Federal Ministry of Environment
- Held a meeting of the Task Team on Effective Vaccine for Lassa fever in Nigeria
- Coordinating the implementation of IPC Programmes at Designated treatment Centres and health facilities through continuous preparedness, readiness, and response activities.
- Identifying and updating the IPC Focal person database for health facilities in all the states.
- Engaging with IPC structures in the States, the Orange network, designated treatment Centres and Health
  Facilities at all levels on adherence to standard precautions by Health Care Workers to curb Hospital
  Acquired Infections (HAIs), especially in high burden LGAs and States
- Media appearance for updates on the Lassa fever outbreak response
- Held technical meeting with subnational teams for the month of February for synchronization of LF surveillance and response
- Concluded the Lassa fever readiness webinar series
- Provided support to all States sending daily and weekly situation reports
- Press briefing on "Preventing Lassa fever together"
- Off-site support to states including medical countermeasures
- Confirmed cases are treated at identified treatment centres across the states
- Dissemination of reviewed case management and safe burial practices guidelines
- Diagnosis of all samples in Lassa fever testing laboratories across the country
- Reports on the preparedness survey in the 36 States and FCT to assess preparedness, readiness, and response to Lassa fever disseminated
- Dissemination of media content including press releases, tweets, public advisories, etc.
- Held the 1st Lassa Fever webinar for 2024 focused on "Empowering Communities to Combat Lassa Fever"
- Held a meeting with CEPI to strengthen the implementation of research activities both during the outbreak and at *peace* time.
- Activation of multi-sectoral incident management system for Lassa fever coordinated from the Public Health Emergency Operation Centres (PHEOC) at the National and some affected States
- Participated in the Inaugural Meeting of Community Advisory Board for the Research on Lassa fever phase 2
  vaccine trial

# **Challenges**

- Late presentation of cases leading to an increase in CFR
- Poor health-seeking behaviour due to the high cost of treatment and clinical management of Lassa fever
- Poor environmental sanitation conditions observed in high-burden communities
- Poor awareness observed in high-burden communities

# Notes on this report

#### **Data Source**

Information for this disease was case-based data retrieved from the National Lassa Fever Technical Working Group.

#### Case definitions

- Suspected case: any individual presenting with one or more of the following: malaise, fever, headache, sore throat, cough, nausea, vomiting, diarrhoea, myalgia, chest pain, hearing loss and either a. History of contact with excreta or urine of rodents b. History of contact with a probable or confirmed Lassa fever case within a period of 21 days of onset of symptoms OR Any person with inexplicable bleeding/haemorrhage.
- Confirmed case: any suspected case with laboratory confirmation (positive IgM antibody, PCR or virus isolation)
- Probable case: any suspected case (see definition above) who died or absconded without collection of specimen for laboratory testing
- Contact: Anyone who has been exposed to an infected person, or to an infected person's secretions, excretions, or tissues within three weeks of last contact with a confirmed or probable case of Lassa fever

#### Calculations

Case Fatality Rate (CFR) for this disease is reported for confirmed cases only.

#### VIRAL HAEMORRHAGIC FEVER QUICK REFERENCE GUIDE

For social mobilization https://ncdc.gov.ng/themes/common/docs/vhfs/83 1517222929.pdf For LGA Rapid Response Team https://ncdc.gov.ng/themes/common/docs/vhfs/82 1517222811.pdf Healthcare worker laboratory https://ncdc.gov.ng/themes/common/docs/vhfs/81\_1517222763.pdf For healthcare workers https://ncdc.gov.ng/themes/common/docs/vhfs/80\_1517222586.pdf For community informants https://ncdc.gov.ng/themes/common/docs/vhfs/79\_1517222512.pdf

### NATIONAL GUIDELINES FOR LASSA FEVER CASE MANAGEMENT

https://ncdc.gov.ng/themes/common/docs/protocols/92 1547068532.pdf

### VIRAL HAEMORRHAGIC FEVER AND RESPONSE PLAN

https://ncdc.gov.ng/themes/common/docs/protocols/24 1502192155.pdf

### NATIONAL GUIDELINE FOR INFECTION, PREVENTION AND CONTROL FOR VIRAL HAEMORRHAGIC FEVER INFORMATION RESOURCE

https://ncdc.gov.ng/themes/common/docs/protocols/341\_1707300274.pdf

Nigeria Centre for Disease Control and Prevention: www.ncdc.gov.ng

<u>Disclaimer</u> - The information contained in this document is confidential, privileged and only for the intended recipient and may not be used, published, or redistributed to the public. A redacted version is available at <a href="http://ncdc.gov.ng/diseases/sitreps">http://ncdc.gov.ng/diseases/sitreps</a>





















